


A warm welcome



The new Duplex IV professional



Application of the Duplex IV professional (1/10)




Two new BaPS test programs :

- P 12 (Building Biology thematic)
- P 13 (Building Biology numeric)

Note:

The module 6 (13 Test programs) and module 1 (Adjustment precision) will be released free of charge upon purchase of a Duplex IV professional.

Application of the Duplex IV professional (2/10)

35 YEARS |  RAYONEX
Biomedical GmbH

Testprogramm P 12 Baubiologie (themenbezogen)

Energie		Resonanz
FGW 1	10,00 Energie (Wert 1) Zentralen Schimmelpilz	0
FGW 2	12,50 Energie (Wert 2)	0

Geopathie		Resonanz
FGW 3	37,00 Hartmann Gitternetz Linie	0
FGW 4	74,00 Hartmann Gitternetz Kreuzung	0
FGW 5	46,50 Gitternetz (Wert 1)	0
FGW 6	54,00 Gitternetz (Wert 2)	0
FGW 7	45,90 Curry Gitternetz Linie	0
FGW 8	82,45 Curry Gitternetz Kreuzung	0
FGW 9	48,00 Currygitter (Wert 1)	0
FGW 10	70,00 Currygitter (Wert 2)	0
FGW 11	64,75 Benker Gitternetz Linie	0
FGW 12	92,25 Benker Gitternetz Kreuzung geologische Störzone allgemein (Wert 3)	0
FGW 13	62,50 Wasserader (Wert 1)	0
FGW 14	64,00 Wasserader (Wert 2)	0
FGW 15	14,00 Verwerfung (Wert 3)	0
FGW 16	34,00 Verwerfung (Wert 4)	0
FGW 17	22,00 geologische Störzone allgemein (Wert 1)	0
FGW 18	93,50 geologische Störzone allgemein (Wert 2)	0
FGW 19	92,75 geologische Störzone allgemein (Wert 4)	0

www.rayonex.de

Description of the relevant building biology Fundamental Frequency Values thematic (P 12) or numeric (P 13).

In total there are 189 Fundamental Frequency Values. Double values are already removed.

The document will come with every Duplex IV professional.

Application of the Duplex IV professional (3/10)

35 YEARS RAYONEX Biomedical GmbH		
Testprogramm P 12 Baubiologie (themenbezogen)		
Energie		Reinmaß
FGW 1	19,00	Energie (Wert 1)
FGW 2	13,50	Zusammenl. Schimmelpilz Energie (Wert 2)
Geopathie		Reinmaß
FGW 3	37,00	Hartmann-Gitternetz-Linie
FGW 4	74,00	Hartmann-Gitternetz-Kreuzung
FGW 5	46,50	Gitternetz (Wert 1)
FGW 6	56,00	Gitternetz (Wert 2)
FGW 7	43,90	Curry-Gitternetz-Linie
FGW 8	82,45	Curry-Gitternetz-Kreuzung
FGW 9	48,00	Currygitter (Wert 1)
FGW 10	70,00	Currygitter (Wert 2)
FGW 11	64,75	Benkes-Gitternetz-Linie
FGW 12	92,25	Benkes-Gitternetz-Kreuzung
FGW 13	62,50	Wasserdler (Wert 1)
FGW 14	64,00	Wasserdler (Wert 2)
FGW 15	14,00	Versenkung (Wert 3)
FGW 16	34,00	Versenkung (Wert 4)
FGW 17	23,00	geologische Störzonen allgemein (Wert 1)
FGW 18	33,50	geologische Störzonen allgemein (Wert 2)
FGW 19	92,75	geologische Störzonen allgemein (Wert 4)

www.rayonex.de

Energetic

Geopathy

E-Smog

High Frequency

Radiation, protection

Harmfull substances (heavy metals)

Pesticides

Environmental pollutant

Mite / Tick / Louse

Mould fungis

Saccharomyces albicans

2 FFV

17 FFV

15 FFV

30 FFV

5 FFV

7 FFV

10 FFV

27 FFV


10 FFV

50 FFV

16 FFV


**In total 189
Fundamental Frequency Values**

Application of the Duplex IV professional (4/10)



With the saliva the building biological FFV's will be tested on resonance and stored in the Rayocomp PS 10.

Application of the Duplex IV professional (5/10)



The Test

Linear Movement = Resonance
(instable Field)

Rotation = no Resonance
(stable Field)

Application of the Duplex IV professional (6/10)



Every Therapist receives with the initial order of a Duplex IV professional a personalized Datacable.

Application of the Duplex IV professional (7/10)



**Connection with the
Duplex IV professional.**

Application of the Duplex IV professional (8/10)



**Connection to the
Rayocomp PS 10.**

Application of the Duplex IV professional (9/10)



**Duplex IV professional connected
with a Rayocomp PS 10.**


Application of the Duplex IV professional (10/10)



Storing of the Resonance values on the Duplex IV professional.

Afterwards disconnect the Datacable.

Effectiveness of the D IV pro



Advantages of the Duplex IV professional



- **Individualisation of the biofield-forming device Duplex IV professional upon customers demand.**
- **The Fundamental Frequency Values could be read from the D IV pro at every time, new tested – and for further support – stored again.**
- **Relation of the user to Therapist.**

35 YEARS



Certified field free practice

The certificate is a rectangular document with a blue header and footer. The header contains the PSAL logo and the title "Zertifikat". The main body of the certificate is white with a large, faint, stylized mountain range graphic in the background. It contains text in German certifying the practice of "Tierheilpraxis Köhlen" as field-free. The text includes the date of measurement (07.10.2017) and a list of four findings: "Niederfrequente Wechselfelder - schwach auffällig", "Hochfrequente Strahlung - schwach auffällig", "Elektr. und magn. Gleichfelder - stark auffällig", and "Geopathie - unauffällig". The certificate is signed by Wolfgang Sievers and Dietmar Heimes. The footer contains the website address "www.paul-schmidt-akademie.de".

PSAL
PAUL-SCHMIDT-AKADEMIE
LENNESTADT®

Zertifikat

Hiermit zertifizieren wir die Praxis

Tierheilpraxis Köhlen
zur feldarmen Therapiepraxis.

Die Zertifikatsvergabe erfolgte aufgrund der baubiologischen Messung am 07.10.2017 unter Berücksichtigung folgender Punkte des SBM 15:

- **Niederfrequente Wechselfelder - schwach auffällig**
- **Hochfrequente Strahlung - schwach auffällig**
- **Elektr. und magn. Gleichfelder - stark auffällig**
- **Geopathie - unauffällig**

Wolfgang Sievers
Wolfgang Sievers

Dietmar Heimes
Dietmar Heimes

Zertifikatsgültigkeit: 01.10.2017 bis 01.10.2019

PSAL
PAUL-SCHMIDT-AKADEMIE
LENNESTADT®

Paul-Schmidt-Akademie LenneStadt
Sauerland-Pyramiden 2
57358 LenneStadt

Telefon: +49 2721 6006-29
Telefax: +49 2721 6006-66

E-Mail: info@paul-schmidt-akademie.de
Internet: www.paul-schmidt-akademie.de

www.paul-schmidt-akademie.de

Nr. / No. 15

Therapeutic Options - Milieu Therapy




1. **Cleansing the connective tissue matrix**
2. **Mobilise and neutralise acid deposits**
3. **Elimination of the released waste products through the skin**
4. **Stabilisation of the metabolism**
5. **Restoration of the intestinal flora (symbiotic control)**

In addition, a balanced and vital diet and energetic strengthening with bioresonance is beneficial.

35 YEARS



The Website of Case Reports on BaPS



- The website is run independently by naturopath Michael Petersen.
- The aim of the website is to provide case reports for the public sector and specialist reports for therapists.
- Web acquisition: Patient seeks a solution to a disease on the web – finds the case report with a link to the therapist on the PSA web site.
- Very important: Entry in the PSA, then write your own case report, HP Petersen will help you with this.

www.bioresonance-case-reports.org

Nr. / No. 17

The Website of the Paul Schmidt Clinic



- The Paul Schmidt Clinic is situated in Berlingerode/Heiligenstadt, about 60 km from Kassel.
- Two physicians, one naturopath and one building biologist are looking after the PSK.
- Focus is the measurement of resonant frequencies directly on the diseased tissue (e.g. liver cirrhosis).
- Therapists can transfer their patients privately to the clinic, where they receive a customised Green Card with the relevant resonant frequencies for further treatment.

www.paul-schmidt-klinik.de

**Thank you very much
for your attention.**